

REMOVE\$

REMOVE\$ returns a document without lines containing specific strings.

Syntax

REMOVE\$(Document\$, ImpVar_1, ImpVar_2, ... , ImpVar_n)

Arguments

- Document\$ is a string containing the source document.
- ImpVar_1, ..., ImpVar_n are strings that define which lines should be removed (i.e. the lines containing that string)

Remarks

1. Lines containing one or more of the strings ImpVar_1, ImpVar_2, ... , ImpVar_n are removed including the following [CrLf](#) (Carriage return Linefeed)

Examples

Let Document\$ contains the text:

```
"Turning and turning in the widening gyre  
The falcon cannot hear the falconer;  
Things fall apart; the centre cannot hold;  
Mere anarchy is loosed upon the world  
The blood-dimmed tide is loosed, and everywhere  
The ceremony of innocence is drowned;  
The best lack all conviction, while the worst  
Are full of passionate intensity"
```

The syntax

```
REMOVE$(Document$, "and", "ceremony")
```

returns

```
"The falcon cannot hear the falconer;  
Things fall apart; the centre cannot hold;  
Mere anarchy is loosed upon the world  
The best lack all conviction, while the worst  
Are full of passionate intensity"
```

Quick links: [Functions overview](#) | [Attribute overview](#) | [Constants overview](#) | [Dimensions overview](#)